

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
01.05.0010.03	VINCULO "DOMINIS" P/UNIR MODULOS, BLT	0,18 kg
01.05.0010.20	VINCULO "DOMINIS" P/UNIR MODULOS, AN	0,18 kg
01.45.0070.00	KIT UNION LINEAL "BAAS"	0,01 kg
01.83.0011.04	"HOUSING HEKA" ALUMINIO ESMALTADO, NGM	0,08 kg
01.95.0001.00	CDM-R MNI 25° 830 20W	0,05 kg
01.95.0002.00	CDM-R MINI 40° 830 20W	0,05 kg
01.95.0004.00	CDM- R MNI 35W	0,05 kg
01.95.0012.00	LAMPARA T5 CIRCULAR 40W	0,11 kg
01.95.0028.00	LAMPARA T5 TUBULAR 21W	0,08 kg
01.AA36.0002.05	ACCESORIO ANTIGLARE PARA CABEZAL "CROLL" 9,4W, 11,5W, 13W, NGM	0,07 kg
01.AA36.0004.05	ACCESORIO PANAL DE ABEJA PARA CABEZAL "CROLL" 9,4W, 11,5W, 13W, NGM	0,001 kg
01.AA36.0006.00	ACCESORIO DIFUSOR PARA CABEZAL "CROLL" 9,4W, 11,5W, 13W, NGM	0,003 kg
01.AA36.0014.05	ACCESORIO ANTIGLARE PARA CABEZAL "CROLL" 30W, NGM	0,23 kg
01.AA36.0016.05	ACCESORIO PANAL DE ABEJA PARA CABEZAL "CROLL" 30W, NGM	0,01 kg
02.05.5015.03	PLAF "DOMINIS" LED 9W 3000K 220VAC 150MM, BLT	0,62 kg
02.05.5015.20	PLAF "DOMINIS" LED 9W 3000K 220VAC 150MM, AND	0,63 kg
02.05.5020.03	PLAF "DOMINIS" LED 16W 3000K 220VAC 200MM, BLT	0,93 kg
02.05.5020.20	PLAF "DOMINIS" LED 16W 3000K 220VAC 200MM, AND	0,94 kg
02.05.5030.03	PLAF "DOMINIS" LED 40W 3000K 220VAC 300MM, BLT	1,93 kg
02.05.5030.20	PLAF "DOMINIS" LED 40W 3000K 220VAC 300MM, AND	1,93 kg
02.05.6015.03	PLAF "DOMINIS" ANG LED 9W 3000K 220VAC 150MM, BLT	0,68 kg
02.05.6015.20	PLAF "DOMINIS" ANG LED 9W 3000K 220VAC 150MM, AND	0,68 kg
02.05.6020.03	PLAF "DOMINIS" ANG LED 16W 3000K 220VAC 200MM, BLT	0,99 kg
02.05.6020.20	PLAF "DOMINIS" ANG LED 16W 3000K 220VAC 200MM, AND	0,99 kg
02.05.6030.03	PLAF "DOMINIS" ANG LED 40W 3000K 220VAC 300MM, BLT	1,99 kg
02.05.6030.20	PLAF "DOMINIS" ANG LED 40W 3000K 220VAC 300MM, AND	1,99 kg
02.19.0101.03	PLAF "CUARO" LED 9W 3000K 220VAC 150MM, BLT	0,75 kg
02.19.0101.20	PLAF "CUARO" LED 9W 3000K 220VAC 150MM, AND	0,75 kg
02.19.0201.03	PLAF "CUARO" LED 16W 3000K 220VAC 200MM, BLT	1,04 kg
02.19.0201.20	PLAF "CUARO" LED 16W 3000K 220VAC 200MM, AND	1,04 kg
02.19.0301.03	PLAF "CUARO" LED 25W 3000K 220VAC 270MM, BLT	1,71 kg
02.19.0301.20	PLAF "CUARO" LED 25W 3000K 220VAC 270MM, AND	1,71 kg
02.20.2731.02	PLAF "EQUUS" E27 2X52W Ø310MM, BLM	1,40 kg
02.20.2731.31	PLAF "EQUUS" E27 2X52W Ø310MM, NQM	1,40 kg
02.21.2718.02	PLAF "EQUUS" QT-DE12 60W Ø183MM, BLM	0,52 kg
02.21.2718.31	PLAF "EQUUS" QT-DE12 60W Ø183MM, NQM	0,52 kg
02.21.2731.02	PLAF "EQUUS" QT-DE12 150W Ø310MM, BLM	1,39 kg
02.21.2731.31	PLAF "EQUUS" QT-DE12 150W Ø310MM, NQM	1,39 kg
02.23.2718.02	PLAF "EQUUS" G9 Ø183MM, BLM	0,52 kg
02.23.2718.31	PLAF "EQUUS" G9 Ø183MM, NM	0,52 kg
02.42.0424.20	PLAF "CUEMBOLD" TC-L 4X24W C/EQ, AN	4,50 kg
02.49.0015.03	APLIQUE/PLAFON "KOZMO C" LED 9X1W BLT	0,81 kg
02.49.0020.03	APLIQUE/PLAFON "KOZMO R" DIM LED 1x15W, BLT	1,30 kg
02.51.0001.03	PLAFON "PEIJO" LED 1X8W, BLT	0,96 kg
03.13.0101.02	APL LOOP QT-DE12 1X100W, BLM	0,40 kg
03.13.0101.20	APL "LOOP" QT-DE12 1X100W, AN	0,40 kg
03.13.0111.02	APL "LOOP" LED R7S 225x100x30mm, BLM	0,40 kg
03.13.0111.20	APL "LOOP" LED R7S 225x100x30mm, AND	0,40 kg
03.13.0201.02	APL "LOOP" QT-DE12 2X60W, BLM	0,72 kg
03.13.0201.20	APL "LOOP" QT-DE12 2X60W, AN	0,72 kg
03.13.0211.02	APL "LOOP" LED R7s 410x100x30mm, BLM	0,72 kg
03.13.0211.20	APL "LOOP" LED R7s 410x100x30mm, AND	0,72 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
03.13.0321.02	APL "LOOP" T5 1X21W 940MM, BLM	1,30 kg
03.13.0321.20	APL "LOOP" T5 1X21W 940MM, AN	1,30 kg
03.13.1002.02	ACC TAPABOCA "LOOP", BLM	0,14 kg
03.13.1002.20	ACC TAPABOCA "LOOP", AN	0,15 kg
03.24.1020.03	APL "SUD" LED 34W 3000K 220VAC L:600, BLT	0,94 kg
03.24.1020.35	APL "SUD" LED 34W 3000K 220VAC L:600, CR	0,94 kg
03.24.1030.03	APL "SUD" LED 50W 3000K 220VAC L:900, BLT	1,30 kg
03.24.1030.35	APL "SUD" LED 50W 3000K 220VAC L:900, CR	0,88 kg
03.46.0004.03	APLIQUE "ALDOR" LED 1X7W, 2700K, BLT	0,87 kg
03.46.1001.03	APL "SPIN" C LED 1X6,2W C/EQ, 2700K, BLT	0,73 kg
03.46.1002.03	APL "SPIN" R LED 1X6,2W C/EQ, 2700K, BLT	0,71 kg
03.46.1003.03	APLIQUE LED "ENTO" 9W, 3000K, BLT	0,92 kg
03.86.0020.03	APLIQUE LED "NOLO" LED 8W 3000K L:200MM, BLT	0,46 kg
03.86.0040.03	APLIQUE LED "NOLO" LED 15W 3000K L:600MM, BLT	1,41 kg
03.91.0010.03	APLIQUE "UNIS" LED 10W 3000K, BLT	1,66 kg
03.93.0010.03	APLIQUE "FLESI" LED 4.2W 3000K, BLT	0,74 kg
03.AA11.0010.03	APLIQUE "GILERO" LED 18W, 3000K, L:900MM, BLT	1,45 kg
04.02.0019.02	FLUO "ELIPSIS" T26 2X18W DIR/INDIR C/EQ.ELEC, BLM	1,43 kg
04.02.0019.20	FLUO "ELIPSIS" T26 2X18W DIR/INDIR C/EQ.ELEC, AN	1,43 kg
04.02.0219.02	FLUO "ELIPSIS" T26 2X18W DIR+INDIR C/EQ.ELEC, BLM	2,45 kg
04.02.0219.20	FLUO "ELIPSIS" T26 2X18W DIR+INDIR C/EQ.ELEC, AN	2,45 kg
04.02.1010.02	FLUO "ELIPSIS" UNION "L", BLM	0,06 kg
04.02.1010.20	FLUO "ELIPSIS" UNION "L", AN	0,06 kg
04.02.1020.02	FLUO "ELIPSIS" UNION "T", BLM	0,10 kg
04.02.1020.20	FLUO "ELIPSIS" UNION "T", AN	0,10 kg
04.02.1030.02	FLUO "ELIPSIS" UNION "X", BLM	0,16 kg
04.02.1030.20	FLUO "ELIPSIS" UNION "X", AN	0,16 kg
04.02.1040.01	KIT DE SUSPENSION "ELIPSIS" L:2000MM, BL	0,06 kg
04.02.1045.01	KIT DE SUSPENSION AUTOMATICO "ELIPSIS" L:2000MM, BL	0,06 kg
04.02.1060.03	SOPORTE DE TECHO ""ELIPSIS"", BLT (DISCONTINUADO)	0,05 kg
04.02.1070.00	KIT UNION LINEAL "ELIPSIS" L:2000MM (DISCONTINUADO)	0,02 kg
04.02.1080.02	FLUO "ELIPSIS" MODULO CIEGO 300MM, BLM	0,38 kg
04.02.1080.20	FLUO "ELIPSIS" MODULO CIEGO 300MM, AN	0,32 kg
04.02.1090.02	FLUO "ELIPSIS" MODULO CIEGO 500MM, BLM	0,64 kg
04.02.1090.20	FLUO "ELIPSIS" MODULO CIEGO 500MM, AN	0,58 kg
04.02.1100.02	FLUO "ELIPSIS" MODULO CIEGO 1050MM, BLM	1,34 kg
04.02.1110.02	FLUO "ELIPSIS" MODULO CIEGO 1660MM, BLM	2,08 kg
04.02.1201.00	TRAMO LOUVER "ELIPSIS" 300MM, BL	0,04 kg
04.02.1202.00	TRAMO LOUVER "ELIPSIS" 300MM METALIZADO	0,04 kg
04.02.1218.00	DIFUSOR DE POLICARBONATO 604MM "ELIPSIS" 2X18	0,09 kg
04.02.1236.00	DIFUSOR DE POLICARBONATO 1214MM "ELIPSIS" 2X36	0,18 kg
04.02.1258.00	DIFUSOR DE POLICARBONATO 1514MM "ELIPSIS" 2X58	0,24 kg
04.05.5010.03	PLAF "DOMINIS" LED 36W 3000K 220VAC L:640MM, BLT	2,26 kg
04.05.5010.20	PLAF "DOMINIS" LED 36W 3000K 220VAC L:640MM, AND	2,26 kg
04.05.5020.03	PLAF "DOMINIS" LED 72W 3000K 220VAC L:1250MM, BLT	4,18 kg
04.05.5020.20	PLAF "DOMINIS" LED 72W 3000K 220VAC L:1250MM, AND	4,18 kg
04.09.1040.01	KIT DE SUSPENSION "ICONO" / "DOMINIS" L:2000MM, BL	0,56 kg
04.09.1045.01	KIT DE SUSPENSION AUTOMATICO "ICONO" / "DOMINIS" , BL	0,06 kg
05.01.2010.07	COLG "FLOW" E27 Ø140MM TULIPA OPAL, GRT	1,01 kg
05.01.2100.07	COLG "FLOW" E27 Ø140MM PANTALLA ANOD.NAT, GRT	0,60 kg
05.01.3000.07	COLG "FLOW" E27 Ø250MM TUL.SATIN C/BORDE TRANSP, GRT	2,30 kg
05.03.0600.03	COLG "SIMETRIX" E27, BLT	0,46 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
05.03.0600.07	COLG "SIMETRIX" E27, GRT	0,46 kg
05.31.0101.31	COLG "FILIPA" Ø150MM, TULIPA BORDÓ SAT, NM	0,91 kg
05.31.0102.31	COLG "FILIPA" Ø150MM, TULIPA NGB, NGM	0,91 kg
05.31.1100.31	COLG "FILIPA" Ø220MM, TULIPA BL SAT, NM	2,07 kg
05.31.1101.31	COLG "FILIPA" Ø220MM, TULIPA BORDÓ SAT, NM	2,07 kg
05.31.1102.31	COLG "FILIPA" Ø220MM, TULIPA NGB, NGM	2,07 kg
05.31.2100.31	COLG "FILIPA" Ø380MM, TULIPA BL SAT, NM	3,95 kg
05.31.2202.31	COLG ARETTA Ø300MM E27, TUL.SAT/NG	2,46 kg
05.31.3202.31	COLG ARETTA Ø380MM E27, TUL.SAT/NG	3,95 kg
05.31.3231.31	COLG ARETTA Ø380MM E27, TUL.ESPEJ/BORDÓ	3,95 kg
05.31.3232.31	COLG ARETTA Ø380MM E27, TUL.ESPEJ/NG	3,95 kg
05.AA35.0010.03	COLGANTE "ENRO" LED DIM 25W 3000K L:894MM, BLT	1,72 kg
05.AA35.0020.03	COLGANTE "ENRO" LED DIM 30W 3000K L:1185MM, BLT	2,20 kg
06.30.1001.03	EMP "TYR" 90 G9 IP20, BLT	0,21 kg
06.30.1001.06	EMP "TYR" 90 G9 IP20, NGT	0,21 kg
06.30.1001.07	EMP "TYR" 90 G9 IP20, GRT	0,21 kg
06.30.1001.31	EMP "TYR" 90 G9 IP20, NM	0,21 kg
06.30.1003.03	EMP "TYR" 90 GZ10 IP20, BLT	0,26 kg
06.30.1003.06	EMP "TYR" 90 GZ10 IP20, NGT	0,27 kg
06.30.1003.07	EMP "TYR" 90 GZ10 IP20, GRT	0,26 kg
06.30.1003.31	EMP "TYR" 90 GZ10 IP20, NM	0,26 kg
06.30.1031.03	EMP "TYR" 90 G9 IP40 VIDRIO SATIN, BLT	0,25 kg
06.30.1031.06	EMP "TYR" 90 G9 IP40 VIDRIO SATIN, NGT	0,25 kg
06.30.1031.07	EMP "TYR" 90 G9 IP40 VIDRIO SATIN, GRT	0,25 kg
06.30.1031.31	EMP "TYR" 90 G9 IP40 VIDRIO SATIN, NM	0,25 kg
06.30.1041.03	EMP "TYR" 90 G9 IP44 VIDRIO SATIN, BLT	0,25 kg
06.30.1041.06	EMP "TYR" 90 G9 IP44 VIDRIO SATIN, NGT	0,25 kg
06.30.1041.07	EMP "TYR" 90 G9 IP44 VIDRIO SATIN, GRT	0,25 kg
06.30.1041.31	EMP "TYR" 90 G9 IP44 VIDRIO SATIN, NM	0,25 kg
06.30.1043.03	EMP "TYR" 90 GZ10 IP44 VIDRIO SATIN, BLT	0,31 kg
06.30.1043.06	EMP "TYR" 90 GZ10 IP44 VIDRIO SATIN, NGT	0,31 kg
06.30.1043.07	EMP "TYR" 90 GZ10 IP44 VIDRIO SATIN, GRT	0,31 kg
06.30.1043.31	EMP "TYR" 90 GZ10 IP44 VIDRIO SATIN, NM	0,31 kg
06.30.1053.03	EMP "TYR" 90 GZ10 IP44 VIDRIO TRANSP, BLT	0,31 kg
06.30.1053.06	EMP "TYR" 90 GZ10 IP44 VIDRIO TRANSP, NGT	0,31 kg
06.30.1053.07	EMP "TYR" 90 GZ10 IP44 VIDRIO TRANSP, GRT	0,31 kg
06.30.1053.31	EMP "TYR" 90 GZ10 IP44 VIDRIO TRANSP, NM	0,31 kg
06.30.1103.03	EMP "TYR" 90 GZ10 C/DISIP. IP20, BLT	0,31 kg
06.30.1103.06	EMP "TYR" 90 GZ10 C/DISIP. IP20, NGT	0,31 kg
06.30.1103.07	EMP "TYR" 90 GZ10 C/DISIP. IP20, GRT	0,31 kg
06.30.1103.31	EMP "TYR" 90 GZ10 C/DISIP. IP20, NM	0,31 kg
06.30.1153.03	EMP "TYR" 90 GZ10 C/DISIP. IP44 VIDRIO TRANSP, BLT	0,35 kg
06.30.1153.06	EMP "TYR" 90 GZ10 C/DISIP. IP44 VIDRIO TRANSP, NGT	0,35 kg
06.30.1153.07	EMP "TYR" 90 GZ10 C/DISIP. IP44 VIDRIO TRANSP, GRT	0,35 kg
06.30.1153.31	EMP "TYR" 90 GZ10 C/DISIP. IP44 VIDRIO TRANSP, NM	0,35 kg
06.30.2006.03	EMP "TYR" 160 AR111 IP20, BLT	0,87 kg
06.30.2006.06	EMP "TYR" 160 AR111 IP20, NGT	0,87 kg
06.30.2006.07	EMP "TYR" 160 AR111 IP20, GRT	0,87 kg
06.30.2006.31	EMP "TYR" 160 AR111 IP20, NM	0,87 kg
06.30.2007.03	EMP "TYR" 160 PAR30 IP20, BLT	0,87 kg
06.30.2007.06	EMP "TYR" 160 PAR30 IP20, NGT	0,87 kg
06.30.2007.07	EMP "TYR" 160 PAR30 IP20, GRT	0,87 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
06.30.2007.31	EMP "TYR" 160 PAR30 IP20, NM	0,87 kg
06.30.2015.03	EMP "TYR" 160 E27 IP20 VIDRIO SATIN, BLT	0,87 kg
06.30.2015.06	EMP "TYR" 160 E27 IP20 VIDRIO SATIN, NGT	0,87 kg
06.30.2015.07	EMP "TYR" 160 E27 IP20 VIDRIO SATIN, GRT	0,87 kg
06.30.2015.31	EMP "TYR" 160 E27 IP20 VIDRIO SATIN, NM	0,87 kg
06.30.2506.03	EMP "TYR" 160 AR111 IP44 VIDRIO TRANSP, BLT	0,87 kg
06.30.2506.06	EMP "TYR" 160 AR111 IP44 VIDRIO TRANSP, NGT	0,87 kg
06.30.2506.07	EMP "TYR" 160 AR111 IP44 VIDRIO TRANSP, GRT	0,87 kg
06.30.2506.31	EMP "TYR" 160 AR111 IP44 VIDRIO TRANSP, NQM	0,87 kg
06.30.2507.03	EMP "TYR" 160 PAR30 IP44 VIDRIO TRANSP, BLT	0,87 kg
06.30.2507.06	EMP "TYR" 160 PAR30 IP44 VIDRIO TRANSP, NGT	0,87 kg
06.30.2507.07	EMP "TYR" 160 PAR30 IP44 VIDRIO TRANSP, GRT	0,87 kg
06.30.2507.31	EMP "TYR" 160 PAR30 IP44 VIDRIO TRANSP, NM	0,87 kg
06.30.2515.03	EMP "TYR" 160 E27 IP44 VIDRIO SATIN, BLT	0,87 kg
06.30.2515.06	EMP "TYR" 160 E27 IP44 VIDRIO SATIN, NGT	0,87 kg
06.30.2515.07	EMP "TYR" 160 E27 IP44 VIDRIO SATIN, GRT	0,87 kg
06.30.2515.31	EMP "TYR" 160 E27 IP44 VIDRIO SATIN, NM	0,87 kg
06.33.1104.03	EMP "ATEGO" 1LUZ G9, BLT	1,21 kg
06.33.1104.06	EMP "ATEGO" 1LUZ G9, NGT	1,21 kg
06.33.1104.07	EMP "ATEGO" 1LUZ G9, GRT	1,21 kg
06.33.1105.03	EMP "ATEGO" 1LUZ GZ10, BLT	1,21 kg
06.33.1105.06	EMP "ATEGO" 1LUZ GZ10, NGT	1,21 kg
06.33.1105.07	EMP "ATEGO" 1LUZ GZ10, GRT	1,21 kg
06.33.1204.03	EMP "ATEGO" 2LUCES G9, BLT	1,89 kg
06.33.1204.06	EMP "ATEGO" 2LUCES G9, NGT	1,89 kg
06.33.1204.07	EMP "ATEGO" 2LUCES G9, GRT	1,89 kg
06.33.1205.03	EMP "ATEGO" 2LUCES GZ10, BLT	1,89 kg
06.33.1205.06	EMP "ATEGO" 2LUCES GZ10, NGT	1,89 kg
06.33.1205.07	EMP "ATEGO" 2LUCES GZ10, GRT	1,89 kg
06.33.1304.03	EMP "ATEGO" 3LUCES G9, BLT	3,22 kg
06.33.1304.06	EMP "ATEGO" 3LUCES G9, NGT	3,22 kg
06.33.1304.07	EMP "ATEGO" 3LUCES G9, BLT	3,22 kg
06.33.1305.03	EMP "ATEGO" 3LUCES GZ10, BLT	3,14 kg
06.33.1305.06	EMP "ATEGO" 3LUCES GZ10, NGT	3,18 kg
06.33.1305.07	EMP "ATEGO" 3LUCES GZ10, GRT	3,14 kg
06.33.1404.03	EMP "ATEGO" 4LUCES LINEAL G9, BLT	3,66 kg
06.33.1404.06	EMP "ATEGO" 4LUCES LINEAL G9, NGT	3,66 kg
06.33.1404.07	EMP "ATEGO" 4LUCES LINEAL G9, GRT	3,66 kg
06.33.1405.03	EMP "ATEGO" 4LUCES LINEAL GZ10, BLT	3,66 kg
06.33.1405.06	EMP "ATEGO" 4LUCES LINEAL GZ10, NGT	3,66 kg
06.33.1405.07	EMP "ATEGO" 4LUCES LINEAL GZ10, GRT	3,66 kg
06.33.1504.03	EMP "ATEGO" 4LUCES C G9, BLT	3,66 kg
06.33.1504.06	EMP "ATEGO" 4LUCES C G9, NGT	3,66 kg
06.33.1504.07	EMP "ATEGO" 4LUCES C G9, GRT	3,66 kg
06.33.1505.03	EMP "ATEGO" 4LUCES C GZ10, BLT	3,66 kg
06.33.1505.06	EMP "ATEGO" 4LUCES C GZ10, NGT	3,66 kg
06.33.1505.07	EMP "ATEGO" 4LUCES C GZ10, GRT	3,66 kg
06.33.3105.03	EMP "ATEGO" Ø125MM 1LUZ AR111 C/ GZ10, BLT	2,30 kg
06.33.3105.06	EMP "ATEGO" Ø125MM 1LUZ AR111 C/ GZ10, NGT	2,30 kg
06.33.3105.07	EMP "ATEGO" Ø125MM 1LUZ AR111 C/ GZ10, GRT	2,30 kg
06.33.3106.03	EMP "ATEGO" Ø125MM 1LUZ AR111, BLT	2,30 kg
06.33.3106.06	EMP "ATEGO" Ø125MM 1LUZ AR111, NGT	2,30 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
06.33.3106.07	EMP "ATEGO" Ø125MM 1LUZ AR111, GRT	2,30 kg
06.33.3107.03	EMP "ATEGO" 1LUZ PAR30, BLT	2,30 kg
06.33.3107.06	EMP "ATEGO" 1LUZ PAR30, NGT	2,30 kg
06.33.3107.07	EMP "ATEGO" 1LUZ PAR30, GRT	2,30 kg
06.33.3111.03	EMP "ATEGO" 1LUZ LED PAR30 PANTALLA ALTA, BLT	2,41 kg
06.33.3111.06	EMP "ATEGO" 1LUZ LED PAR30 PANTALLA ALTA, NGT	2,41 kg
06.33.3111.07	EMP "ATEGO" 1LUZ LED PAR30 PANTALLA ALTA, GRT	2,41 kg
06.33.3115.03	EMP "ATEGO" Ø125MM 1LUZ AR111 C/ GZ10 Y PANTALLA ALTA, BLT	2,43 kg
06.33.3115.06	EMP "ATEGO" Ø125MM 1LUZ AR111 C/ GZ10 Y PANTALLA ALTA, NGT	2,43 kg
06.33.3115.07	EMP "ATEGO" Ø125MM 1LUZ AR111 C/ GZ10 Y PANTALLA ALTA, GRT	2,43 kg
06.33.3205.03	EMP "ATEGO" Ø125MM 2LUCES AR111 C/ GZ10, BLT	4,10 kg
06.33.3205.06	EMP "ATEGO" Ø125MM 2LUCES AR111 C/ GZ10, NGT	4,10 kg
06.33.3205.07	EMP "ATEGO" Ø125MM 2LUCES AR111 C/ GZ10, GRT	4,10 kg
06.33.3206.03	EMP "ATEGO" Ø125MM 2LUCES AR111, BLT	4,10 kg
06.33.3206.06	EMP "ATEGO" Ø125MM 2LUCES AR111, NGT	4,10 kg
06.33.3206.07	EMP "ATEGO" Ø125MM 2LUCES AR111, GRT	4,10 kg
06.33.3207.03	EMP "ATEGO" 2LUCES PAR30, BLT	4,10 kg
06.33.3207.06	EMP "ATEGO" 2LUCES PAR30, NGT	4,10 kg
06.33.3207.07	EMP "ATEGO" 2LUCES PAR30, GRT	4,10 kg
06.33.3211.03	EMP "ATEGO" 2LUCES LED PAR30 PANTALLA ALTA, BLT	4,10 kg
06.33.3211.06	EMP "ATEGO" 2LUCES LED PAR30 PANTALLA ALTA, NGT	4,10 kg
06.33.3211.07	EMP "ATEGO" 2LUCES LED PAR30 PANTALLA ALTA, GRT	4,10 kg
06.33.3215.03	EMP "ATEGO" Ø125MM 2LUCES AR111 C/ GZ10 Y PANTALLA ALTA, BLT	4,10 kg
06.33.3215.06	EMP "ATEGO" Ø125MM 2LUCES AR111 C/ GZ10 Y PANTALLA ALTA, NGT	4,10 kg
06.33.3215.07	EMP "ATEGO" Ø125MM 2LUCES AR111 C/ GZ10 Y PANTALLA ALTA, GRT	4,10 kg
06.33.3305.03	EMP "ATEGO" Ø125MM 3LUCES AR111 C/ GZ10, BLT	5,51 kg
06.33.3305.06	EMP "ATEGO" Ø125MM 3LUCES AR111 C/ GZ10, NGT	5,51 kg
06.33.3305.07	EMP "ATEGO" Ø125MM 3LUCES AR111 C/ GZ10, GRT	5,46 kg
06.33.3306.03	EMP "ATEGO" Ø125MM 3LUCES AR111, BLT	5,51 kg
06.33.3306.06	EMP "ATEGO" Ø125MM 3LUCES AR111, NGT	5,51 kg
06.33.3306.07	EMP "ATEGO" Ø125MM 3LUCES AR111, GRT	5,46 kg
06.33.3307.03	EMP "ATEGO" 3LUCES PAR30, BLT	5,64 kg
06.33.3307.06	EMP "ATEGO" 3LUCES PAR30, NGT	5,64 kg
06.33.3307.07	EMP "ATEGO" 3LUCES PAR30, GRT	5,64 kg
06.33.3311.03	EMP "ATEGO" 3LUCES LED PAR30 PANTALLA ALTA, BLT	5,64 kg
06.33.3311.06	EMP "ATEGO" 3LUCES LED PAR30 PANTALLA ALTA, NGT	5,64 kg
06.33.3311.07	EMP "ATEGO" 3LUCES LED PAR30 PANTALLA ALTA, GRT	5,64 kg
06.33.3315.03	EMP "ATEGO" Ø125MM 3LUCES LINEAL AR111 C/ GZ10 Y PANTALLA ALTA, BLT	5,64 kg
06.33.3315.06	EMP "ATEGO" Ø125MM 3LUCES AR111 C/ GZ10 Y PANTALLA ALTA, NGT	5,64 kg
06.33.3315.07	EMP "ATEGO" Ø125MM 3LUCES AR111 C/ GZ10 Y PANTALLA ALTA, GRT	5,64 kg
06.33.3405.03	EMP "ATEGO" Ø125MM 4LUCES LINEAL AR111 C/ GZ10, BLT	6,28 kg
06.33.3405.06	EMP "ATEGO" Ø125MM 4LUCES LINEAL AR111 C/ GZ10, NGT	6,28 kg
06.33.3405.07	EMP "ATEGO" Ø125MM 4LUCES LINEAL AR111 C/ GZ10, GRT	6,28 kg
06.33.3406.03	EMP "ATEGO" Ø125MM 4LUCES LINEAL AR111, BLT	6,28 kg
06.33.3406.06	EMP "ATEGO" Ø125MM 4LUCES LINEAL AR111, NGT	6,28 kg
06.33.3406.07	EMP "ATEGO" Ø125MM 4LUCES LINEAL AR111, GRT	6,28 kg
06.33.3407.03	EMP "ATEGO" 4LUCES LINEAL PAR30, BLT	6,28 kg
06.33.3407.06	EMP "ATEGO" 4LUCES LINEAL PAR30, NGT	6,28 kg
06.33.3407.07	EMP "ATEGO" 4LUCES LINEAL PAR30, GRT	6,28 kg
06.33.3411.03	EMP "ATEGO" 4LUCES LINEAL LED PAR30 PANTALLA ALTA, BLT	6,32 kg
06.33.3411.06	EMP "ATEGO" 4LUCES LINEAL LED PAR30 PANTALLA ALTA, NGT	6,32 kg
06.33.3411.07	EMP "ATEGO" 4LUCES LINEAL LED PAR30 PANTALLA ALTA, GRT	6,32 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
06.33.3415.03	EMP "ATEGO" Ø125MM 4LUCES LINEAL AR111 C/ GZ10 Y PANTALLA ALTA, BLT	6,32 kg
06.33.3415.06	EMP "ATEGO" Ø125MM 4LUCES LINEAL AR111 C/ GZ10 Y PANTALLA ALTA, NGT	6,32 kg
06.33.3415.07	EMP "ATEGO" Ø125MM 4LUCES LINEAL AR111 C/ GZ10 Y PANTALLA ALTA, GRT	6,32 kg
06.33.3505.03	EMP" ATEGO" Ø125MM 4LUCES C AR111 C/ GZ10, BLT	6,98 kg
06.33.3505.06	EMP" ATEGO" Ø125MM 4LUCES C AR111 C/ GZ10, NGT	6,98 kg
06.33.3505.07	EMP "ATEGO" Ø125MM 4LUCES C AR111 C/ GZ10, GRT	6,98 kg
06.33.3506.03	EMP" ATEGO" Ø125MM 4LUCES C AR111, BLT	6,98 kg
06.33.3506.06	EMP" ATEGO" Ø125MM 4LUCES C AR111, NGT	6,98 kg
06.33.3506.07	EMP "ATEGO" Ø125MM 4LUCES C AR111, GRT	6,98 kg
06.33.3507.03	EMP "ATEGO" 4LUCES C PAR30, BLT	7,21 kg
06.33.3507.06	EMP "ATEGO" 4LUCES C PAR30, NGT	7,21 kg
06.33.3507.07	EMP "ATEGO" 4LUCES C PAR30, GRT	7,21 kg
06.33.3511.03	EMP "ATEGO" 4LUCES C LED PAR30 PANTALLA ALTA, BLT	6,98 kg
06.33.3511.06	EMP "ATEGO" 4LUCES C LED PAR30 PANTALLA ALTA, NGT	6,98 kg
06.33.3511.07	EMP "ATEGO" 4LUCES C LED PAR30 PANTALLA ALTA, GRT	6,98 kg
06.33.3515.03	EMP" ATEGO" Ø125MM 4LUCES C AR111 C/ GZ10 Y PANTALLA ALTA, BLT	6,98 kg
06.33.3515.06	EMP" ATEGO" Ø125MM 4LUCES C AR111 C/ GZ10 Y PANTALLA ALTA, NGT	6,98 kg
06.33.3515.07	EMP" ATEGO" Ø125MM 4LUCES C AR111 C/ GZ10 Y PANTALLA ALTA, GRT	6,98 kg
06.35.0110.02	EMP "OTRONIC" FIJO GY6,35 SIM.BRILL REFL.15°, BLM	0,39 kg
06.35.0310.02	EMP "OTRONIC" FIJO GY6,35 SIM.BRILL REFL.35°, BLM	0,39 kg
06.35.0320.02	EMP "OTRONIC" FIJO G12 SIM.BRILL REFL.35°, BLM	0,52 kg
06.35.1110.02	EMP "OTRONIC" MOVIL GY6,35 ASIM.BRILL REFL.15°, BLM	0,42 kg
06.35.1310.02	EMP "OTRONIC" MOVIL GY6,35 ASIM.BRILL REFL.35°, BLM	0,42 kg
06.35.1320.02	EMP "OTRONIC" MOVIL G12 ASIM.BRILL REFL.35°, BLM	0,52 kg
06.35.2110.02	EMP "OTRONIC" FIJO GY6,35 BAFLE ANTID REFL.15°, BLM	0,42 kg
06.35.2310.02	EMP "OTRONIC" FIJO GY6,35 BAFLE ANTID REFL.35°, BLM	0,42 kg
06.35.2320.02	EMP "OTRONIC" FIJO G12 BAFLE ANTID REFL.35°, BLM	0,54 kg
06.36.0011.03	EMP "IVOS" ASIMETRICO G9, BLT	0,15 kg
06.36.0011.31	EMP "IVOS" ASIMETRICO G9, NM	0,15 kg
06.36.0012.03	EMP "IVOS" ASIMETRICO LED BL.FRIO, BLT	0,17 kg
06.36.0012.31	EMP "IVOS" ASIMETRICO LED BL.FRIO, NM	0,17 kg
06.36.0013.03	EMP "IVOS" ASIMETRICO LED BL.CALIDO, BLT	0,17 kg
06.36.0013.31	EMP "IVOS" ASIMETRICO LED BL.CALIDO, NM	0,17 kg
06.36.0021.03	EMP "IVOS" C/DIF.SATIN G9, BLT	0,19 kg
06.36.0022.03	EMP "IVOS" C/DIF.SATIN LED BL.FRIO, BLT	0,18 kg
06.36.0023.03	EMP "IVOS" C/DIF.SATIN LED BL.CALIDO, BLT	0,18 kg
06.36.0023.31	EMP "IVOS" C/DIF.SATIN LED BL.CALIDO, NM	0,18 kg
06.36.0031.03	EMP "IVOS" C/LOUVER G9, BLT	0,19 kg
06.36.0031.31	EMP "IVOS" C/LOUVER G9, NM	0,19 kg
06.36.0032.03	EMP "IVOS" C/LOUVER LED BL.FRIO, BLT	0,19 kg
06.36.0033.03	EMP "IVOS" C/LOUVER LED BL.CALIDO, BLT	0,19 kg
06.36.0033.31	EMP "IVOS" C/LOUVER LED BL.CALIDO, NM	0,19 kg
06.36.0421.03	EMP "IVOS" C/DIF.SATIN G9 IP44, BLT	0,19 kg
06.36.0422.03	EMP "IVOS" C/DIF.SATIN LED BL.FRIO IP44, BLT	0,19 kg
06.36.0423.03	EMP "IVOS" C/DIF.SATIN LED BL.CALIDO IP44, BLT	0,18 kg
06.36.0423.31	EMP "IVOS" C/DIF.SATIN LED BL.CALIDO IP44, NM	0,18 kg
06.36.0431.03	EMP "IVOS" C/LOUVER G9 IP44, BLT	0,19 kg
06.36.0431.31	EMP "IVOS" C/LOUVER G9 IP44, NM	0,19 kg
06.36.0432.03	EMP "IVOS" C/LOUVER LED BL.FRIO IP44, BLT	0,19 kg
06.36.0433.03	EMP "IVOS" C/LOUVER LED BL.CALIDO IP44, BLT	0,19 kg
06.36.0433.31	EMP "IVOS" C/LOUVER LED BL.CALIDO IP44, NM	0,19 kg
06.36.1001.00	CAJA DE EMPOTRAR "IVOS", B:80MM L:115MM H:40MM	0,12 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
06.36.1003.00	PANTALLA SEÑALETICA "INFO" PARA "IVOS"	0,001 kg
06.36.1004.00	PANTALLA SEÑALETICA "MUJER" PARA "IVOS"	0,001 kg
06.36.1005.00	PANTALLA SEÑALETICA "HOMBRE" PARA "IVOS"	0,001 kg
06.38.3000.02	EMP "XURIO" 182MM LED 20W, BLM	0,73 kg
06.39.2002.02	EMP "OBEKO" Ø155MM BIPIN, BLM	0,74 kg
06.44.0100.20	EMP PARED "KORP" LED 1W IP65 C/EQ, ANOD	0,28 kg
06.44.1100.20	EMP PARED "KORP" LED 1W IP65 S/EQ, ANOD	0,25 kg
06.45.1010.01	EMP "BAAS" AC T5 14W C/EQ L:585MM (CONJ X2), BL	1,07 kg
06.45.1020.01	EMP "BAAS" AA T5 14W C/EQ L:575MM, BL	1,06 kg
06.45.1100.01	EMP "BAAS" CC T5 28W C/EQ L:1195MM, BL	1,88 kg
06.45.1110.01	EMP "BAAS" AC T5 28W C/EQ L:1185MM (CONJ X2), BL	3,73 kg
06.45.1120.01	EMP "BAAS" AA T5 28W C/EQ L:1175MM, BL	1,86 kg
06.45.1200.01	EMP "BAAS" CC T5 54W C/EQ L:1195MM, BL	1,92 kg
06.45.1210.01	EMP "BAAS" AC T5 54W C/EQ L:1185MM (CONJ X2), BL	3,73 kg
06.45.1220.01	EMP "BAAS" AA T5 54W C/EQ L:1175MM, BL	1,86 kg
06.45.2010.01	EMP "BAAS" AC S/ COMPONENTES ELÉCTRICOS L:585MM (CONJ X2), BL	1,02 kg
06.45.2020.01	EMP "BAAS" AA S/ COMPONENTES ELECTRICOS L:575MM, BL	0,93 kg
06.45.2100.01	EMP "BAAS" CC S/ COMPONENTES ELECTRICOS L:1195MM, BL	1,79 kg
06.45.2120.01	EMP "BAAS" AA S/ COMPONENTES ELECTRICOS L:1175MM, BL	1,73 kg
06.45.4110.01	EMP "BAAS" TIRA LED 120 C/EQ 50X50, BL	0,12 kg
06.45.4119.01	EMP "BAAS" TIRA LED 120 S/EQ 50X50, BL	0,09 kg
06.45.4210.01	EMP "BAAS" TIRA LED 120 C/EQ 150X50, BL	0,26 kg
06.45.4219.01	EMP "BAAS" TIRA LED 120 S/EQ 150X50, BL	0,23 kg
06.53.0012.03	EMP "LALU" R LED C/ RANURA MEDIA 2,5W BLT	0,18 kg
06.53.0012.06	EMP "LALU" R LED C/ RANURA MEDIA 2,5W, NGT	0,18 kg
06.53.0022.03	EMP "LALU" C LED C/ RANURA MEDIA 2,5W BLT	0,19 kg
06.53.0022.06	EMP "LALU" C LED C/ RANURA MEDIA 2,5W, NGT	0,19 kg
06.53.0210.03	EMP "LALU" R LED C/ RANURA ANGOSTA 4W BLT	0,18 kg
06.53.0210.06	EMP "LALU" R LED C/ RANURA ANGOSTA 4W, NGT	0,18 kg
06.53.0211.03	EMP "LALU" R LED C/ RANURA ANCHA 4W BLT	0,17 kg
06.53.0220.03	EMP "LALU" C LED C/ RANURA ANGOSTA 4W BLT	0,19 kg
06.53.0220.06	EMP "LALU" R LED C/ RANURA ANGOSTA 4W, NGT	0,18 kg
06.53.0221.03	EMP "LALU" C LED C/ RANURA ANCHA 4W BLT	0,19 kg
06.58.0110.02	EMP "ATTIS" R RECEDIDO LED 3W, BLM	0,08 kg
06.58.0110.05	EMP "ATTIS" R RECEDIDO LED 3W, NGM	0,08 kg
06.58.0120.02	EMP "ATTIS" R LED 3W, BLM	0,06 kg
06.58.0120.05	EMP "ATTIS" R LED 3W, NGM	0,06 kg
06.58.0210.02	EMP "ATTIS" C RECEDIDO LED 3W, BLM	0,08 kg
06.58.0210.05	EMP "ATTIS" C RECEDIDO LED 3W, NGM	0,08 kg
06.58.0220.02	EMP "ATTIS" C LED 3W, BLM	0,06 kg
06.58.0220.05	EMP "ATTIS" C LED 3W, NGM	0,06 kg
06.60.6405.02	EMP "MAXTOR" Ø108 GZ10 WALLWASHER REFL.ASIM.BRILL, BLM	0,25 kg
06.60.6415.02	EMP "MAXTOR" Ø108 GZ10 VISERA ORIENTABLE, BLM	0,30 kg
06.60.6420.02	EMP "MAXTOR" Ø108 BIPIN REFL.PROF VIDRIO SERIGRAF, BLM	0,29 kg
06.60.6435.02	EMP "MAXTOR" Ø108 GZ10 REFL.MATE, BLM	0,27 kg
06.60.6465.02	EMP "MAXTOR" Ø108 GZ10 REFL.SIM.BRILL BASC.30°, BLM	0,25 kg
06.60.6472.02	EMP "MAXTOR" Ø135 CDMR MINI 20W REFL.SIM.BRILL C/EQ Y LAMP, BLM	0,31 kg
06.60.6474.02	EMP "MAXTOR" Ø135 CDMR MINI REFL.SIM.BRILL, BLM	0,31 kg
06.60.6482.02	EMP "MAXTOR" Ø135 CDMR MINI 20W REFL.ASIM.BRILL C/EQ Y LAMP, BLM	0,31 kg
06.60.6484.02	EMP "MAXTOR" Ø135 CDMR MINI REFL.ASIM.BRILL, BLM	0,31 kg
06.60.6505.02	EMP "FOGGY" GZ10 TUL.TRANSIP IP44, BLM	0,19 kg
06.60.6505.31	EMP "FOGGY" GZ10 TUL.TRANSIP IP44, NQM	0,19 kg

INFORMACION DE PRODUCTO /

PESO

Codigo	Nombre	Peso
06.60.6515.31	EMP "FOGGY" GZ10 TUL.SATIN IP44, NQM	0,19 kg
06.60.7300.01	EMP "TIRSIO" LED OSRAM 3X3W C/EQ, BLM	0,22 kg
06.60.8100.20	EMP "RAYU" LED OSRAM 1X3W C/EQ, AN	0,42 kg
06.61.0102.03	EMP PARED "KUBRIE" QT12, B:90MM H:90MM, BLT	0,32 kg
06.61.0102.20	EMP PARED "KUBRIE" QT12, B:90MM H:90MM, AN	0,32 kg
06.61.0103.03	EMP PARED "KUBRIE" LED CREE C/EQ, B:90MM H:90MM, BLT	0,35 kg
06.61.0103.20	EMP PARED "KUBRIE" LED CREE C/EQ, B:90MM H:90MM, AND	0,35 kg
06.61.0202.03	EMP PARED "KUBRIE" QT12, B:80MM H:236MM, BLT	0,34 kg
06.61.0202.20	EMP PARED "KUBRIE" QT12, B:80MM H:236MM, AN	0,34 kg
06.61.0203.03	EMP PARED "KUBRIE" LED CREE C/EQ, B:80MM H:236MM, BLT	0,32 kg
06.61.0203.20	EMP PARED "KUBRIE" LED CREE C/EQ, B:80MM H:236MM, AN	0,32 kg
06.61.0204.03	EMP PARED "KUBRIE" LED CREE 3W C/EQ, B:80MM H:236MM, BLT	0,37 kg
06.61.0204.20	EMP PARED "KUBRIE" LED CREE 3W C/EQ, B:80MM H:236MM, AN	0,37 kg
06.61.0325.03	EMP PARED "KUBRIE" LED 2X6.5W 3000K 144OLM C/EQUIPO B.250MM H:220MM, BLT	1,32 kg
06.61.0325.20	EMP PARED "KUBRIE" LED 2X6.5W 3000K 144OLM C/EQUIPO B.250MM H:220MM, AND	1,32 kg
06.61.1100.00	CAJA DE EMPOTRAR "KUBRIE" 170X230X85MM	0,94 kg
06.61.1200.00	CAJA DE EMPOTRAR "KUBRIE" 170X380X85MM	1,41 kg
06.61.1300.00	CAJA DE EMPOTRAR "KUBRIE" 300X400X110MM	2,21 kg
06.62.0105.02	EMP "TUEL" 130MM GZ10, BLM	0,28 kg
06.62.0105.05	EMP "TUEL" 130MM GZ10, NGM	0,28 kg
06.62.0205.02	EMP "TUEL" 220MM AR111 C/ GZ10, BLM	0,70 kg
06.62.0205.05	EMP "TUEL" 220MM AR111 C/ GZ10, NGM	0,70 kg
06.62.0207.02	EMP "TUEL" 220MM PAR30, BLM	0,99 kg
06.63.9001.03	EMP "CADIO" C9 DIF. SATIN, BLT	0,20 kg
06.63.9001.31	EMP "CADIO" C9 DIF. SATIN, NQM	0,19 kg
06.63.9305.03	EMP "CADIO" GZ10 BASCULANTE 20° , BLT	0,30 kg
06.63.9305.06	EMP "CADIO" GZ10 BASCULANTE 20° , NGT	0,30 kg
06.63.9305.31	EMP "CADIO" GZ10 BASCULANTE 20° , NQM	0,29 kg
06.63.9505.03	EMP "CADIO" GZ10 BAFLE PROFUNDO ANTIDESLUMBRANTE NGM, BLT	0,39 kg
06.63.9505.06	EMP "CADIO" GZ10 BAFLE PROFUNDO ANTIDESLUMBRANTE NGM, NGM	0,38 kg
06.63.9505.31	EMP "CADIO" GZ10 BAFLE PROFUNDO ANTIDESLUMBRANTE NGM , NQM	0,39 kg
06.63.9705.03	EMP "CADIO" GZ10 BAFLE SEMI-PROF. ANTIDESLUMBRANTE BLM BASCULANTE 20°, BLT	0,33 kg
06.63.9715.03	EMP "CADIO" GZ10 BAFLE SEMI-PROF. ANTIDES. NGM BASCULANTE 20°, BLT	0,34 kg
06.63.9715.06	EMP "CADIO" GZ10 BAFLE SEMI-PROF. ANTIDES. NGM BASCULANTE 20°, NGT	0,34 kg
06.63.9715.31	EMP "CADIO" GZ10 BAFLE SEMI-PROF. ANTIDES. NGM BASCULANTE 20°, NQM	0,34 kg
06.63.9800.03	EMP "CADIO" E27 BAFLE PROF. BLM DIF.SATIN, BLT	0,35 kg
06.63.9800.06	EMP "CADIO" E27 BAFLE PROF. BLM DIF.SATIN, NGT	0,37 kg
06.63.9800.31	EMP "CADIO" E27 BAFLE PROF. BLM DIF.SATIN, NQM	0,37 kg
06.64.2100.02	EMP "MAXTOR" Ø162 AR111 WALLWASHER REFLASIM.BRILL BASC.25°, BLM	0,58 kg
06.64.2110.02	EMP "MAXTOR" Ø162 AR111 REFL.SIM.BRILL, BLM	0,58 kg
06.64.2200.02	EMP "MAXTOR" Ø162 E27 WALLWASHER REFLASIM.BRILL, BLM	0,64 kg
06.64.2210.02	EMP "MAXTOR" Ø162 E27 REFL.SIM.BRILL, BLM	0,64 kg
06.65.2023.02	EMP "HAMBO" R LED 16W C/EQ ELEC	1,79 kg
06.65.5022.02	EMP "HAMBO" C CH TC-DEL 2X18W C/EQ.ELEC, BLM	1,44 kg
06.65.5523.02	EMP "HAMBO" C CH TC-DEL 2X26W C/EQ.ELEC, BLM	1,44 kg
06.65.6023.02	EMP "HAMBO" C TC-DEL 2X26W C/EQ.ELEC, BLM	1,74 kg
06.66.2105.02	EMP "ASTER" R Ø95MM GZ10, BLM	0,19 kg
06.66.2105.05	EMP "ASTER" R Ø95MM GZ10, NGM	0,18 kg
06.66.2205.02	EMP "ASTER" R Ø178MM AR111 C/ GZ10, BLM	0,48 kg
06.66.2205.05	EMP "ASTER" R Ø178MM AR111 C/ GZ10, NGM	0,48 kg
06.66.2207.02	EMP "ASTER" R Ø178MM PAR30, BLM	0,76 kg
06.66.2207.05	EMP "ASTER" R Ø178MM PAR30, NGM	0,76 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
06.66.3105.02	EMP "ASTER" C 100X100MM GZ10, BLM	0,23 kg
06.66.3105.05	EMP "ASTER" C 100X100MM GZ10, NGM	0,23 kg
06.66.3205.02	EMP "ASTER" C 182x182MM AR111 C/ GZ10, BLM	0,58 kg
06.66.3205.05	EMP "ASTER" C 182x182MM AR111 C/ GZ10, NGM	0,58 kg
06.66.3207.02	EMP "ASTER" C 182x182MM PAR30, BLM	0,84 kg
06.66.3207.05	EMP "ASTER" C 182X182MM PAR30, NGM	0,84 kg
06.67.6602.02	EMP "FINLO" Ø98 GZ10, BLM	0,23 kg
06.67.6602.05	EMP "FINLO" Ø98 GZ10, NGM	0,23 kg
06.67.6905.02	EMP "FINLO" Ø196 LED AR111 C/ GZ10, BLM	0,41 kg
06.71.0001.06	ARO ANTIDESLUMBRANTE "FEDRO" Ø32,5MM, NGT	0,01 kg
06.71.0002.06	ARO ANTIDESLUMBRANTE "FEDRO" Ø52MM, NGT	0,01 kg
06.71.0003.06	ARO ANTIDESLUMBRANTE "FEDRO" PARA NUCLEO 18W, NGT	0,05 kg
06.71.0004.06	ARO ANTIDESLUMBRANTE "FEDRO" PARA NUCLEO 33,4W Y 43,8W, NGT	0,13 kg
06.71.0160.05	FILTRO PANAL DE ABEJA ANTIDESLUMBRANTE "FEDRO" Ø47 AL, NGM	0,001 kg
06.71.0170.00	LENTE DIFUSORA DIAMANTE "FEDRO" Ø47	0,004 kg
06.71.0180.00	LENTE DIFUSORA LINEAL "FEDRO" Ø47	0,004 kg
06.71.0190.00	LENTE DIFUSORA "FEDRO" Ø47	0,004 kg
06.71.1150.03	EMP "FEDRO" R Ø60X44MM 3,2W 3000K C/ LENTE 27°, BLT	0,11 kg
06.71.1154.03	EMP "FEDRO" R Ø60X44MM 3,2W 3000K C/ LENTE 39°, BLT	0,11 kg
06.71.1160.03	EMP "FEDRO" R Ø60X44MM 3,2W 3000K C/ LENTE 50°, BLT	0,11 kg
06.71.1166.03	EMP "FEDRO" R Ø60X72MM 7W 3000K C/ LENTE 39°, BLT	0,14 kg
06.71.1251.03	EMP "FEDRO" DIM R Ø90X70MM 7W 2700K C/ LENTE 15°, BLT	0,27 kg
06.71.1253.03	EMP "FEDRO" DIM R Ø90X70MM 7W 3000K C/ LENTE 15°, BLT	0,27 kg
06.71.1257.03	EMP "FEDRO" DIM R Ø90X70MM 7W 2700K C/ LENTE 28°, BLT	0,27 kg
06.71.1259.03	EMP "FEDRO" DIM R Ø90X70MM 7W 3000K C/ LENTE 28°, BLT	0,27 kg
06.71.1263.03	EMP "FEDRO" DIM R Ø90X70MM 7W 2700K C/ LENTE 46°, BLT	0,27 kg
06.71.1265.03	EMP "FEDRO" DIM R Ø90X70MM 7W 3000K C/ LENTE 46°, BLT	0,27 kg
06.71.1269.03	EMP "FEDRO" DIM R Ø90X90MM 13W 2700K C/ LENTE 21°, BLT	0,32 kg
06.71.1271.03	EMP "FEDRO" DIM R Ø90X90MM 13W 3000K C/ LENTE 21°, BLT	0,32 kg
06.71.1275.03	EMP "FEDRO" DIM R Ø90X90MM 13W 2700K C/ LENTE 33°, BLT	0,32 kg
06.71.1277.03	EMP "FEDRO" DIM R Ø90X90MM 13W 3000K C/ LENTE 33°, BLT	0,32 kg
06.71.1281.03	EMP "FEDRO" DIM R Ø90X90MM 13W 2700K C/ LENTE 48°, BLT	0,32 kg
06.71.1283.03	EMP "FEDRO" DIM R Ø90X90MM 13W 3000K C/ LENTE 48°, BLT	0,32 kg
06.71.1302.03	EMP "FEDRO" R DIM Ø111MM 18W 3000K C/ LENTE 50°, BLT	0,53 kg
06.71.1308.03	EMP "FEDRO" R DIM Ø135MM 33,4W 3000K C/ LENTE 45°, BLT	0,93 kg
06.71.1310.03	EMP FEDRO R Ø135MM 43,8W 3000K C/ LENTE 30°, BLT	1,14 kg
06.71.1312.03	EMP FEDRO R Ø135MM 43,8W 3000K C/ LENTE 20°, BLT	1,14 kg
06.71.2150.03	EMP "FEDRO" C 60X60X44MM 3,2W 3000K C/ LENTE 27°, BLT	0,11 kg
06.71.2154.03	EMP "FEDRO" C 60X60X44MM 3,2W 3000K C/ LENTE 39°, BLT	0,11 kg
06.71.2160.03	EMP "FEDRO" C 60X60X44MM 3,2W 3000K C/ LENTE 50°, BLT	0,11 kg
06.71.2166.03	EMP "FEDRO" C 60X60X72MM 7W 3000K C/ LENTE 39°, BLT	0,15 kg
06.71.2251.03	EMP "FEDRO" DIM C 90X90X70MM 7W 2700K C/ LENTE 15°, BLT	0,26 kg
06.71.2253.03	EMP "FEDRO" DIM C 90X90X70MM 7W 3000K C/ LENTE 15°, BLT	0,26 kg
06.71.2257.03	EMP "FEDRO" DIM C 90X90X70MM 7W 2700K C/ LENTE 28°, BLT	0,26 kg
06.71.2259.03	EMP "FEDRO" DIM C 90X90X70MM 7W 3000K C/ LENTE 28°, BLT	0,26 kg
06.71.2263.03	EMP "FEDRO" DIM C 90X90X70MM 7W 2700K C/ LENTE 46°, BLT	0,26 kg
06.71.2265.03	EMP "FEDRO" DIM C 90X90X70MM 7W 3000K C/ LENTE 46°, BLT	0,26 kg
06.71.2269.03	EMP "FEDRO" DIM C 90X90X90MM 13W 2700K C/ LENTE 21°, BLT	0,30 kg
06.71.2271.03	EMP "FEDRO" DIM C 90X90X90MM 13W 3000K C/ LENTE 21°, BLT	0,30 kg
06.71.2275.03	EMP "FEDRO" DIM C 90X90X90MM 13W 2700K C/ LENTE 33°, BLT	0,30 kg
06.71.2277.03	EMP "FEDRO" DIM C 90X90X90MM 13W 3000K C/ LENTE 33°, BLT	0,30 kg
06.71.2281.03	EMP "FEDRO" DIM C 90X90X90MM 13W 2700K C/ LENTE 48°, BLT	0,30 kg

INFORMACION DE PRODUCTO /

PESO

Codigo	Nombre	Peso
06.71.2283.03	EMP "FEDRO" DIM C 90X90X90MM 13W 3000K C/LENTE 48°, BLT	0,30 kg
06.71.3150.03	EMP "FEDRO" R REC Ø57X50MM 3,2W 3000K C/LENTE 27°, BLT	0,11 kg
06.71.3154.03	EMP "FEDRO" R REC Ø57X50MM 3,2W 3000K C/LENTE 39°, BLT	0,11 kg
06.71.3160.03	EMP "FEDRO" R REC Ø57X50MM 3,2W 3000K C/LENTE 50°, BLT	0,11 kg
06.71.3166.03	EMP "FEDRO" R REC Ø57X77MM 7W 3000K C/LENTE 39°, BLT	0,15 kg
06.71.3251.03	EMP "FEDRO" DIM R REC Ø90X87MM 7W 2700K C/LENTE 15°, BLT	0,26 kg
06.71.3253.03	EMP "FEDRO" DIM R REC Ø90X87MM 7W 3000K C/LENTE 15°, BLT	0,26 kg
06.71.3257.03	EMP "FEDRO" DIM R REC Ø90X87MM 7W 2700K C/LENTE 28°, BLT	0,26 kg
06.71.3259.03	EMP "FEDRO" DIM R REC Ø90X87MM 7W 3000K C/LENTE 28°, BLT	0,26 kg
06.71.3263.03	EMP "FEDRO" DIM R REC Ø90X87MM 7W 2700K C/LENTE 46°, BLT	0,26 kg
06.71.3265.03	EMP "FEDRO" DIM R REC Ø90X87MM 7W 3000K C/LENTE 46°, BLT	0,26 kg
06.71.3269.03	EMP "FEDRO" DIM R REC Ø90X104MM 13W 2700K C/LENTE 21°, BLT	0,31 kg
06.71.3271.03	EMP "FEDRO" DIM R REC Ø90X104MM 13W 3000K C/LENTE 21°, BLT	0,31 kg
06.71.3275.03	EMP "FEDRO" DIM R REC Ø90X104MM 13W 2700K C/LENTE 33°, BLT	0,31 kg
06.71.3277.03	EMP "FEDRO" DIM R REC Ø90X104MM 13W 3000K C/LENTE 33°, BLT	0,31 kg
06.71.3281.03	EMP "FEDRO" DIM R REC Ø90X104MM 13W 2700K C/LENTE 48°, BLT	0,31 kg
06.71.3283.03	EMP "FEDRO" DIM R REC Ø90X104MM 13W 3000K C/LENTE 48°, BLT	0,31 kg
06.71.4150.03	EMP "FEDRO" R REC S/ MARCO 48X73X51MM 3,2W 3000K C/LENTE 27°, BLT	0,12 kg
06.71.4154.03	EMP "FEDRO" R REC S/ MARCO 48X73X51MM 3,2W 3000K C/LENTE 39°, BLT	0,12 kg
06.71.4160.03	EMP "FEDRO" R REC S/ MARCO 48X73X51MM 3,2W 3000K C/LENTE 50°, BLT	0,12 kg
06.71.4166.03	EMP "FEDRO" R REC S/ MARCO 48X73X77MM 7W 3000K C/LENTE 39°, BLT	0,16 kg
06.71.4251.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X85MM 7W 2700K C/LENTE 15°, BLT	0,26 kg
06.71.4253.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X85MM 7W 3000K C/LENTE 15°, BLT	0,26 kg
06.71.4257.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X85MM 7W 2700K C/LENTE 28°, BLT	0,26 kg
06.71.4259.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X85MM 7W 3000K C/LENTE 28°, BLT	0,26 kg
06.71.4263.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X85MM 7W 2700K C/LENTE 46°, BLT	0,26 kg
06.71.4265.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X85MM 7W 3000K C/LENTE 46°, BLT	0,26 kg
06.71.4269.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X103MM 13W 2700K C/LENTE 21°, BLT	0,30 kg
06.71.4271.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X103MM 13W 3000K C/LENTE 21°, BLT	0,30 kg
06.71.4275.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X103MM 13W 2700K C/LENTE 33°, BLT	0,30 kg
06.71.4277.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X103MM 13W 3000K C/LENTE 33°, BLT	0,30 kg
06.71.4281.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X103MM 13W 2700K C/LENTE 48°, BLT	0,30 kg
06.71.4283.03	EMP "FEDRO" DIM R REC S/ MARCO 75X112X103MM 13W 3000K C/LENTE 48°, BLT	0,30 kg
06.71.4302.03	EMP "FEDRO" R DIM Ø111MM 18W 3000K C/LENTE 15°, BLT	0,53 kg
06.71.4304.03	EMP "FEDRO" R DIM Ø111MM 18W 3000K C/LENTE 33°, BLT	0,53 kg
06.71.4306.03	EMP "FEDRO" R DIM Ø135MM 33,4W 3000K C/LENTE 18°, BLT	0,93 kg
06.71.4308.03	EMP "FEDRO" R DIM Ø135MM 33,4W 3000K C/LENTE 29°, BLT	0,93 kg
06.71.4312.03	EMP FEDRO R Ø135MM 43,8W 3000K C/LENTE 46°, BLT	1,14 kg
06.71.5150.03	EMP "FEDRO" C REC 65X65X50MM 3,2W 3000K C/LENTE 27°, BLT	0,14 kg
06.71.5154.03	EMP "FEDRO" C REC 65X65X50MM 3,2W 3000K C/LENTE 39°, BLT	0,14 kg
06.71.5160.03	EMP "FEDRO" C REC 65X65X50MM 3,2W 3000K C/LENTE 50°, BLT	0,14 kg
06.71.5166.03	EMP "FEDRO" C REC 65X65X77MM 7W 3000K C/LENTE 39°, BLT	0,18 kg
06.71.5251.03	EMP "FEDRO" DIM C REC 108X108X90MM 7W 2700K C/LENTE 15°, BLT	0,34 kg
06.71.5253.03	EMP "FEDRO" DIM C REC 108X108X90MM 7W 3000K C/LENTE 15°, BLT	0,34 kg
06.71.5257.03	EMP "FEDRO" DIM C REC 108X108X90MM 7W 2700K C/LENTE 28°, BLT	0,34 kg
06.71.5259.03	EMP "FEDRO" DIM C REC 108X108X90MM 7W 3000K C/LENTE 28°, BLT	0,34 kg
06.71.5263.03	EMP "FEDRO" DIM C REC 108X108X90MM 7W 2700K C/LENTE 46°, BLT	0,34 kg
06.71.5265.03	EMP "FEDRO" DIM C REC 108X108X90MM 7W 3000K C/LENTE 46°, BLT	0,34 kg
06.71.5269.03	EMP "FEDRO" DIM C REC 108X108X108MM 13W 2700K C/LENTE 21°, BLT	0,38 kg
06.71.5271.03	EMP "FEDRO" DIM C REC 108X108X108MM 13W 3000K C/LENTE 21°, BLT	0,38 kg
06.71.5275.03	EMP "FEDRO" DIM C REC 108X108X108MM 13W 2700K C/LENTE 33°, BLT	0,38 kg
06.71.5277.03	EMP "FEDRO" DIM C REC 108X108X108MM 13W 3000K C/LENTE 33°, BLT	0,38 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
06.71.5281.03	EMP "FEDRO" DIM C REC 108X108X108MM 13W 2700K C/LENTE 48°, BLT	0,38 kg
06.71.5283.03	EMP "FEDRO" DIM C REC 108X108X108MM 13W 3000K C/LENTE 48°, BLT	0,38 kg
06.71.6150.03	EMP "FEDRO" C REC S/ MARCO C/LENTE 58X86X51MM 3,2W 3000K 27°, BLT	0,16 kg
06.71.6154.03	EMP "FEDRO" C REC S/ MARCO C/LENTE 58X86X51MM 3,2W 3000K 39°, BLT	0,16 kg
06.71.6160.03	EMP "FEDRO" C REC S/ MARCO C/LENTE 58X86X51MM 3,2W 3000K 50°, BLT	0,16 kg
06.71.6166.03	EMP "FEDRO" C REC S/ MARCO C/LENTE 58X86X78MM 7W 3000K 39°, BLT	0,20 kg
06.71.6251.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X87MM 7W 2700K 15°, BLT	0,36 kg
06.71.6253.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X87MM 7W 3000K 15°, BLT	0,36 kg
06.71.6257.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X87MM 7W 2700K 28°, BLT	0,36 kg
06.71.6259.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X87MM 7W 3000K 28°, BLT	0,36 kg
06.71.6263.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X87MM 7W 2700K 46°, BLT	0,36 kg
06.71.6265.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X87MM 7W 3000K 46°, BLT	0,36 kg
06.71.6269.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X107mm 13W 2700K 21°, BLT	0,40 kg
06.71.6271.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X107mm 13W 3000K 21°, BLT	0,40 kg
06.71.6275.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X107mm 13W 2700K 33°, BLT	0,40 kg
06.71.6277.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X107mm 13W 3000K 33°, BLT	0,40 kg
06.71.6281.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X107mm 13W 2700K 48°, BLT	0,40 kg
06.71.6283.03	EMP "FEDRO" DIM C REC S/ MARCO C/LENTE 142X93X107mm 13W 3000K 48°, BLT	0,40 kg
06.71.7251.03	EMP "FEDRO" DIM R IP44 Ø65X67MM 7W 2700K C/LENTE 15°, BLT	0,24 kg
06.71.7253.03	EMP "FEDRO" DIM R IP44 Ø65X67MM 7W 3000K C/LENTE 15°, BLT	0,24 kg
06.71.7257.03	EMP "FEDRO" DIM R IP44 Ø65X67MM 7W 2700K C/LENTE 28°, BLT	0,24 kg
06.71.7259.03	EMP "FEDRO" DIM R IP44 Ø65X67MM 7W 3000K C/LENTE 28°, BLT	0,24 kg
06.71.7263.03	EMP "FEDRO" DIM R IP44 Ø65X67MM 7W 2700K C/LENTE 46°, BLT	0,24 kg
06.71.7265.03	EMP "FEDRO" DIM R IP44 Ø65X67MM 7W 3000K C/LENTE 46°, BLT	0,24 kg
06.71.7269.03	EMP "FEDRO" DIM R IP44 Ø65X89MM 13W 2700K C/LENTE 21°, BLT	0,28 kg
06.71.7271.03	EMP "FEDRO" DIM R IP44 Ø65X89MM 13W 3000K C/LENTE 21°, BLT	0,28 kg
06.71.7275.03	EMP "FEDRO" DIM R IP44 Ø65X89MM 13W 2700K C/LENTE 33°, BLT	0,28 kg
06.71.7277.03	EMP "FEDRO" DIM R IP44 Ø65X89MM 13W 3000K C/LENTE 33°, BLT	0,28 kg
06.71.7281.03	EMP "FEDRO" DIM R IP44 Ø65X89MM 13W 2700K C/LENTE 48°, BLT	0,28 kg
06.71.7283.03	EMP "FEDRO" DIM R IP44 Ø65X89MM 13W 3000K C/LENTE 48°, BLT	0,28 kg
06.71.8150.03	EMP "FEDRO" R RECEDIDO PROFUNDO FIJO Ø45X56MM 3,2W 3000K C/LENTE 27°, BLT	0,11 kg
06.71.8154.03	EMP "FEDRO" R RECEDIDO PROFUNDO FIJO Ø45X56MM 3,2W 3000K C/LENTE 39°, BLT	0,11 kg
06.71.8160.03	EMP "FEDRO" R RECEDIDO PROFUNDO FIJO Ø45X56MM 3,2W 3000K C/LENTE 50°, BLT	0,11 kg
06.71.8166.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø45X85MM 7W 3000K C/LENTE 39°, BLT	0,15 kg
06.71.8251.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X104MM 7W 2700K C/LENTE 15°, BLT	0,29 kg
06.71.8253.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X104MM 7W 3000K C/LENTE 15°, BLT	0,29 kg
06.71.8257.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X104MM 7W 2700K C/LENTE 28°, BLT	0,29 kg
06.71.8259.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X104MM 7W 3000K C/LENTE 28°, BLT	0,29 kg
06.71.8263.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X104MM 7W 2700K C/LENTE 46°, BLT	0,29 kg
06.71.8265.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X104MM 7W 3000K C/LENTE 46°, BLT	0,29 kg
06.71.8269.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X124MM 13W 2700K C/LENTE 21°, BLT	0,34 kg
06.71.8271.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X124MM 13W 3000K C/LENTE 21°, BLT	0,34 kg
06.71.8275.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X124MM 13W 2700K C/LENTE 33°, BLT	0,34 kg
06.71.8277.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X124MM 13W 3000K C/LENTE 33°, BLT	0,34 kg
06.71.8281.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X124MM 13W 2700K C/LENTE 48°, BLT	0,34 kg
06.71.8283.03	EMP "FEDRO" DIM R RECEDIDO PROFUNDO FIJO Ø82X124MM 13W 3000K C/LENTE 48°, BLT	0,34 kg
06.71.9251.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X90MM 7W 2700K C/LENTE 15°, BLT	0,47 kg
06.71.9253.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X90MM 7W 3000K C/LENTE 15°, BLT	0,47 kg
06.71.9257.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X90MM 7W 2700K C/LENTE 28°, BLT	0,47 kg
06.71.9259.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X90MM 7W 3000K C/LENTE 28°, BLT	0,47 kg
06.71.9263.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X90MM 7W 2700K C/LENTE 46°, BLT	0,47 kg
06.71.9265.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X90MM 7W 3000K C/LENTE 46°, BLT	0,47 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
06.71.9269.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X108MM 13W 2700K C/ LENTE 21°, BLT	0,51 kg
06.71.9271.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X108MM 13W 3000K C/ LENTE 21°, BLT	0,51 kg
06.71.9275.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X108MM 13W 2700K C/ LENTE 33°, BLT	0,51 kg
06.71.9277.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X108MM 13W 3000K C/ LENTE 33°, BLT	0,51 kg
06.71.9281.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X108MM 13W 2700K C/ LENTE 48°, BLT	0,51 kg
06.71.9283.03	EMP "FEDRO" DIM C REC X2 LUCES 203X110X108MM 13W 3000K C/ LENTE 48°, BLT	0,51 kg
06.71R0150.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø28MM 3,2W 3000K C/ LENTE 27°, BLT	0,06 kg
06.71R0154.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø28MM 3,2W 3000K C/ LENTE 39°, BLT	0,06 kg
06.71R0160.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø28MM 3,2W 3000K C/ LENTE 50°, BLT	0,06 kg
06.71R0166.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø28MM 7W 3000K C/ LENTE 39°, BLT	0,10 kg
06.71R0251.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 7W 2700K C/ LENTE 15°, BLT	0,15 kg
06.71R0253.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 7W 3000K C/ LENTE 15°, BLT	0,15 kg
06.71R0257.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 7W 2700K C/ LENTE 28°, BLT	0,15 kg
06.71R0259.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 7W 3000K C/ LENTE 28°, BLT	0,15 kg
06.71R0263.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 7W 2700K C/ LENTE 46°, BLT	0,15 kg
06.71R0265.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 7W 3000K C/ LENTE 46°, BLT	0,15 kg
06.71R0269.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 13W 2700K C/ LENTE 21°, BLT	0,19 kg
06.71R0271.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 13W 3000K C/ LENTE 21°, BLT	0,19 kg
06.71R0275.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 13W 2700K C/ LENTE 33°, BLT	0,19 kg
06.71R0277.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 13W 3000K C/ LENTE 33°, BLT	0,19 kg
06.71R0281.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 13W 2700K C/ LENTE 48°, BLT	0,19 kg
06.71R0283.03	REPUESTO NUCLEO "FEDRO" S/ DRIVER Ø48MM 13W 3000K C/ LENTE 48°, BLT	0,19 kg
06.76.0011.03	EMP "KAUS" DIM 2,2W 3000K S/ DRIVER, BLT	0,17 kg
06.76.0011.06	EMP "KAUS" DIM 2,2W 3000K S/ DRIVER, NGT	0,17 kg
06.76.0021.03	EMP "KAUS" DIM 2X2,2W 3000K, BLT	0,19 kg
06.76.0021.06	EMP "KAUS" DIM 2X2,2W 3000K, NGT	0,19 kg
06.76.0050.03	EMP "KAUS" 5X2,2W 3000K, BLT (DISCONTINUADO)	0,50 kg
06.76.0051.03	EMP "KAUS" DIM 5X2,2W 3000K, BLT	0,50 kg
06.76.0051.06	EMP "KAUS" DIM 5X2,2W 3000K, NGT	0,50 kg
06.76.1050.03	EMP "KAUS" S/MARCO 5X2,2W 3000K, BLT (DISCONTINUADO)	0,47 kg
06.76.1051.03	EMP "KAUS" S/MARCO DIM 5X2,2W 3000K, BLT	0,47 kg
06.78.0220.03	EMP "SHHH" LED 2X9,2W 33°, BLT	1,17 kg
06.78.0220.06	EMP "SHHH" LED 2X9,2W 33°, NGT	1,17 kg
06.78.1120.03	EMP "SHHH" LED DIMERIZABLE 12W 33°, BLT	0,64 kg
06.78.1120.06	EMP "SHHH" LED DIMERIZABLE 12W 33°, NGT	0,64 kg
06.78.1220.03	EMP "SHHH" LED DIMERIZABLE 2X9,2W 33°, BLT	1,16 kg
06.78.1220.06	EMP "SHHH" LED DIMERIZABLE 2X9,2W 33°, NGT	1,16 kg
06.79.0011.03	EMP "BOJ" LED DIMERIZABLE 10W, BLT	0,39 kg
06.79.0021.03	EMP "BOJ" LED DIMERIZABLE 16W, BLT	0,68 kg
06.82.0010.03	EMP "HAN" LED, 8W, Ø115x52mm, BLT	0,41 kg
06.82.0020.03	EMP "HAN" LED,17W,3000K, Ø170x90MM, BLT	1,05 kg
06.83.0010.03	EMP "HEKA" LED, 1W, 3000K, BLT	0,09 kg
06.84.0010.03	EMP "TOT R" LED IP65 7W, 3000K, Ø90MM, BLT	0,32 kg
06.AA13.0010.03	EMPOTRABLE "CHARO" LED DIM L:300MM 9W 3000K, BLT	0,56 kg
06.AA13.0010.06	EMPOTRABLE "CHARO" LED DIM L:300MM 9W 3000K, NGT	0,56 kg
06.AA13.0020.03	EMPOTRABLE "CHARO" LED DIM L:500MM 9W 3000K, BLT	0,71 kg
06.AA13.0020.06	EMPOTRABLE "CHARO" LED DIM L:500MM 9W 3000K, NGT	0,71 kg
07.03.0210.03	CAB "SIMETRIX" GZ10, BLT	0,31 kg
07.03.0210.07	CAB "SIMETRIX" GZ10, GRT	0,30 kg
07.03.0320.03	CAB "SIMETRIX" G9, BLT	0,36 kg
07.03.0320.07	CAB "SIMETRIX" G9, GRT	0,36 kg
07.03.0500.03	CAB "SIMETRIX" AR111, BLT	0,46 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
07.03.0500.07	CAB "SIMETRIX" AR111, GRT	0,46 kg
07.03.0520.03	CAB "SIMETRIX" BIPIN Ø125MM, BLT	0,46 kg
07.03.1101.03	ACC "SIMETRIX" ARO BAJO, BLT	0,05 kg
07.03.1101.07	ACC "SIMETRIX" ARO BAJO, GRT	0,05 kg
07.03.1102.03	ACC "SIMETRIX" ARO ALTO, BLT	0,05 kg
07.03.1102.07	ACC "SIMETRIX" ARO ALTO, GRT	0,05 kg
07.03.1103.03	ACC "SIMETRIX" ARO ALTO CON PANAL DE ABEJA, BLT	0,05 kg
07.03.1103.07	ACC "SIMETRIX" ARO ALTO CON PANAL DE ABEJA, GRT	0,04 kg
07.03.1106.03	ACC "SIMETRIX" ARO ALTO CON LOUVER CRUZ, BLT	0,05 kg
07.03.1107.03	ACC "SIMETRIX" ARO ALTO CON LOUVER REJILLA, BLT	0,06 kg
07.03.1107.07	ACC "SIMETRIX" ARO ALTO CON LOUVER REJILLA, GRT	0,06 kg
07.03.1108.03	ACC "SIMETRIX" ARO CONICO, BLT	0,07 kg
07.03.1108.07	ACC "SIMETRIX" ARO CONICO, GRT	0,07 kg
07.03.1151.03	ACC "SIMETRIX" ARO ALTO CON FILTRO AMARILLO, BLT	0,06 kg
07.03.1151.07	ACC "SIMETRIX" ARO ALTO CON FILTRO AMARILLO, GRT	0,06 kg
07.03.1152.03	ACC "SIMETRIX" ARO ALTO CON FILTRO ROJO, BLT	0,06 kg
07.03.1152.07	ACC "SIMETRIX" ARO ALTO CON FILTRO ROJO, GRT	0,06 kg
07.03.1153.03	ACC "SIMETRIX" ARO ALTO CON FILTRO AZUL, BLT	0,06 kg
07.03.1153.07	ACC "SIMETRIX" ARO ALTO CON FILTRO AZUL, GRT	0,06 kg
07.03.1154.03	ACC "SIMETRIX" ARO ALTO CON FILTRO VERDE, BLT	0,06 kg
07.03.1154.07	ACC "SIMETRIX" ARO ALTO CON FILTRO VERDE, GRT	0,06 kg
07.11.0105.03	CAB "ORBIT" GZ10 C/LOUVER NG, BLT	0,67 kg
07.11.0105.07	CAB "ORBIT" GZ10 C/LOUVER NG, GRT	0,67 kg
07.32.1010.03	CAB "HELO" GZ10 PANT.METAL, BLT	0,15 kg
07.32.1010.57	CAB "HELO" GZ10 PANT.METAL, CR/GR	0,15 kg
07.32.1110.03	CAB "HELO" G9 TULIPA VIDRIO, BLT	0,20 kg
07.32.1110.35	CAB "HELO" G9 TULIPA VIDRIO, CR	0,20 kg
07.32.2010.03	CAB "HELO" E27 PANT.METAL, BLT	0,37 kg
07.32.2010.57	CAB "HELO" E27 PANT.METAL, CR/GR	0,37 kg
07.32.2110.03	CAB "HELO" E27 TULIPA VIDRIO, BLT	0,50 kg
07.32.2110.35	CAB "HELO" E27 TULIPA VIDRIO, CR	0,63 kg
07.32.3010.03	CAB "HELO" Ø69MM GZ10 PANT.METAL, BLT	0,17 kg
07.32.3010.57	CAB "HELO" Ø69MM GZ10 PANT.METAL, CR/GR	0,17 kg
07.33.1004.03	CAB "ATEGO" Ø80MM G9, BLT	0,33 kg
07.33.1004.06	CAB "ATEGO" Ø80MM G9, NGT	0,33 kg
07.33.1004.07	CAB "ATEGO" Ø80MM G9, GRT	0,33 kg
07.33.1005.03	CAB "ATEGO" Ø80MM GZ10, BLT	0,33 kg
07.33.1005.06	CAB "ATEGO" Ø80MM GZ10, NGT	0,33 kg
07.33.1005.07	CAB "ATEGO" Ø80MM GZ10, GRT	0,33 kg
07.33.2005.03	CAB "ATEGO" Ø125MM AR111 C/ GZ10, BLT	0,57 kg
07.33.2005.06	CAB "ATEGO" Ø125MM AR111 C/ GZ10, NGT	0,57 kg
07.33.2005.07	CAB "ATEGO" Ø125MM AR111 C/ GZ10, GRT	0,57 kg
07.33.2006.03	CAB "ATEGO" Ø125MM AR111, BLT	0,54 kg
07.33.2006.06	CAB "ATEGO" Ø125MM AR111, NGT	0,55 kg
07.33.2006.07	CAB "ATEGO" Ø125MM AR111, GRT	0,54 kg
07.33.2007.03	CAB "ATEGO" Ø125MM PAR30, BLT	0,55 kg
07.33.2007.06	CAB "ATEGO" Ø125MM PAR30, NGT	0,55 kg
07.33.2007.07	CAB "ATEGO" Ø125MM PAR30, GRT	0,55 kg
07.33.2011.03	CAB "ATEGO" Ø125MM CDM-PAR30, BLT	0,56 kg
07.33.2011.06	CAB "ATEGO" Ø125MM CDM-PAR30, NGT	0,56 kg
07.33.2011.07	CAB "ATEGO" Ø125MM CDM-PAR30, GRT	0,56 kg
07.33.2015.03	CAB "ATEGO" Ø125MM AR111 C/ GZ10 Y PANTALLA ALTA, BLT	0,56 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
07.33.2015.06	CAB "ATEGO" Ø125MM AR111 C/ GZ10 Y PANTALLA ALTA, NGT	0,56 kg
07.33.2015.07	CAB "ATEGO" Ø125MM AR111 C/ GZ10 Y PANTALLA ALTA, GRT	0,56 kg
07.37.7005.03	CAB "ORIOLE" GZ10, BLT	0,11 kg
07.37.7005.06	CAB "ORIOLE" GZ10, NGT	0,11 kg
07.37.7005.31	CAB "ORIOLE" GZ10, NQM	0,11 kg
07.70.7050.03	CAB "SPACE" AR111, BLT	0,17 kg
07.70.7080.03	CAB "TRON" DICRO, BLT	0,21 kg
07.70.7080.31	CAB "TRON" DICRO, NM	0,22 kg
07.70.7081.03	CAB "TRON" GZ10, BLT	0,22 kg
07.70.7081.31	CAB "TRON" GZ10, NQM	0,22 kg
07.AA36.0010.03	CABEZAL "CROLL" LED DIM 11,5W 8,3° 3000K, BLT	0,22 kg
07.AA36.0010.06	CABEZAL "CROLL" LED DIM 11,5W 8,3° 3000K, NGT	0,22 kg
07.AA36.0011.03	CABEZAL "CROLL" LED DIM 9,4W 18,7° 3000K, BLT	0,22 kg
07.AA36.0011.06	CABEZAL "CROLL" LED DIM 9,4W 18,7° 3000K, NGT	0,22 kg
07.AA36.0013.03	CABEZAL "CROLL" LED DIM 9,4W 34,5° 3000K, BLT	0,21 kg
07.AA36.0013.06	CABEZAL "CROLL" LED DIM 9,4W 34,5° 3000K, NGT	0,21 kg
07.AA36.0021.03	CABEZAL "CROLL" LED DIM 13W 18,1° 3000K, BLT	0,29 kg
07.AA36.0021.06	CABEZAL "CROLL" LED DIM 13W 18,1° 3000K, NGT	0,29 kg
07.AA36.0023.03	CABEZAL "CROLL" LED DIM 13W 34° 3000K, BLT	0,28 kg
07.AA36.0023.06	CABEZAL "CROLL" LED DIM 13W 34° 3000K, NGT	0,28 kg
07.AA36.0051.03	CABEZAL "CROLL" LED DIM 30W 18,2° 3000K, BLT	1,21 kg
07.AA36.0051.06	CABEZAL "CROLL" LED DIM 30W 18,2° 3000K, NGT	1,21 kg
07.AA36.0052.03	CABEZAL "CROLL" LED DIM 30W 30,5° 3000K, BLT	1,21 kg
07.AA36.0052.06	CABEZAL "CROLL" LED DIM 30W 30,5° 3000K, NGT	1,21 kg
07.AA36.0053.03	CABEZAL "CROLL" LED DIM 30W 53° 3000K, BLT	1,21 kg
07.AA36.0053.06	CABEZAL "CROLL" LED DIM 30W 53° 3000K, NGT	1,21 kg
08.31.6200.01	LAMP.MESA "LUNO" Ø200MM G9 BL SATINADO, BL	0,96 kg
08.31.6222.01	LAMP.MESA "LUNO" Ø200MM G9 GR METALIZADO, BL	0,96 kg
08.31.6300.01	LAMP.MESA "LUNO" Ø300MM E27 BL SATINADO, BL	2,21 kg
09.04.0100.03	BASE "LINUX" 1 LUZ 120MM, BLT	0,48 kg
09.04.0100.06	BASE "LINUX" 1 LUZ 120MM, NGT	0,48 kg
09.04.0100.07	BASE "LINUX" 1 LUZ 120MM, GRT	0,48 kg
09.04.0200.03	BASE "LINUX" 2 LUCES 360MM, BLT	0,79 kg
09.04.0200.06	BASE "LINUX" 2 LUCES 360MM, NGT	0,79 kg
09.04.0200.07	BASE "LINUX" 2 LUCES 360MM, GRT	0,79 kg
09.04.0300.03	BASE "LINUX" 3 LUCES 600MM, BLT	1,05 kg
09.04.0300.06	BASE "LINUX" 3 LUCES 600MM, NGT	1,05 kg
09.04.0300.07	BASE "LINUX" 3 LUCES 600MM, GRT	1,05 kg
09.04.0400.03	BASE "LINUX" 4 LUCES 850MM, BLT	1,25 kg
09.04.0400.06	BASE "LINUX" 4 LUCES 850MM, NGT	1,28 kg
09.04.0400.07	BASE "LINUX" 4 LUCES 850MM, GRT	1,28 kg
09.08.0200.03	BASE REGLETA "RENZI" 2 LUCES, BLT (DISCONTINUADO)	0,54 kg
09.08.0200.06	BASE REGLETA "RENZI" 2 LUCES, NGT (DISCONTINUADO)	0,54 kg
09.08.0200.31	BASE REGLETA "RENZI" 2 LUCES, NM (DISCONTINUADO)	0,54 kg
09.14.0200.03	BASE REGLETA "LUCERNA" 2 LUCES, BLT	0,24 kg
09.14.0200.31	BASE REGLETA "LUCERNA" 2 LUCES, NM	0,25 kg
09.14.0300.03	BASE REGLETA "LUCERNA" 3 LUCES, BLT	0,33 kg
09.14.0300.31	BASE REGLETA "LUCERNA" 3 LUCES, NM	0,33 kg
09.90.0901.03	BASE "NOVECIENTO" 1 LUZ (BOMBE), BLT	0,22 kg
09.90.0901.31	BASE "NOVECIENTO" 1 LUZ (BOMBE), NM	0,22 kg
09.90.0902.31	BASE "NOVECIENTO" 2 LUCES (BOMBE), NM	0,32 kg
09.90.0903.03	BASE "NOVECIENTO" 3 LUCES (BOMBE), BLT	0,57 kg

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
09.90.0911.03	BASE "MIC" 1 LUZ (CHATA), BLT	0,10 kg
09.90.0911.31	BASE "MIC" 1 LUZ (CHATA), NM	0,10 kg
09.90.0912.03	BASE "MIC" 2 LUCES (CHATA), BLT	0,16 kg
09.90.0912.31	BASE "MIC" 2 LUCES (CHATA), NM	0,15 kg
09.90.0913.03	BASE "MIC" 3 LUCES (CHATA), BLT	0,16 kg
09.90.0913.31	BASE "MIC" 3 LUCES (CHATA), NM	0,16 kg
09.95.1001.03	CAJA "ADRO" P/EQ. 60x30x113, BLT	0,13 kg
09.95.1001.06	CAJA "ADRO" P/EQ. 60x30x113, NGT	0,13 kg
09.95.1001.07	CAJA "ADRO" P/EQ. 60x30x113, GRT	0,13 kg
09.95.1002.03	CAJA "ADRO" P/EQ. 90x40x143, BLT	0,25 kg
09.95.1002.06	CAJA "ADRO" P/EQ. 90x40x143, NGT	0,25 kg
09.95.1002.07	CAJA "ADRO" P/EQ. 90x40x143, GRT	0,25 kg
09.95.1101.03	CAJA APLIQUE "ADRO" P/EQ. 60x30x113, BLT	0,13 kg
09.95.1101.06	CAJA APLIQUE "ADRO" P/EQ. 60x30x113, NGT	0,13 kg
09.95.1101.07	CAJA APLIQUE "ADRO" P/EQ. 60x30x113, GRT	0,13 kg
09.95.1102.03	CAJA APLIQUE "ADRO" P/EQ. 90x40x143, BLT	0,24 kg
09.95.1102.06	CAJA APLIQUE "ADRO" P/EQ. 90x40x143, NGT	0,24 kg
09.95.1102.07	CAJA APLIQUE "ADRO" P/EQ. 90x40x143, GRT	0,24 kg
10.17.2010.03	EMP EXT "MINI GUIO" C QT9 IP55, BLT	0,31 kg
10.17.2010.07	EMP EXT "MINI GUIO" C QT9 IP55, GRT	0,31 kg
10.17.2011.03	EMP EXT "MINI GUIO" C LED 2,4W CALIDO IP55 C/EQ Y LAMP, BLT	0,31 kg
10.17.2011.07	EMP EXT "MINI GUIO" C LED 2,4W CALIDO IP55 C/EQ Y LAMP, GRT	0,31 kg
10.17.2012.03	EMP EXT "MINI GUIO" C LED 2,4W FRIO IP55 C/EQ Y LAMP, BLT	0,31 kg
10.17.2012.07	EMP EXT "MINI GUIO" C LED 2,4W FRIO IP55 C/EQ Y LAMP, GRT	0,31 kg
10.22.3550.01	APL EXT "NOOR" LED IP65, BL	1,26 kg
10.22.3550.04	APL EXT "NOOR" LED IP65, NG (DISCONTINUADO)	1,19 kg
10.26.0100.20	EMP EXT "HILUS" LED CREE 2,4W IP66, AN	0,23 kg
10.26.0153.20	EMP EXT "HILUS" LED CREE 2,4W IP66 C/EQ Y CAJA ESTANCA QUIDEL, AN	0,36 kg
10.27.0110.03	APL EXT "BERILO" R G9 IP54, BLT	0,30 kg
10.27.0110.06	APL EXT "BERILO" R G9 IP54, NGT	0,29 kg
10.27.0110.07	APL EXT "BERILO" R G9 IP54, GRT	0,33 kg
10.27.0130.03	APLIQUE EXT "BERILO" R LED INTEGRADO 8W, BLT	0,38 kg
10.27.0130.06	APLIQUE EXT "BERILO" R LED INTEGRADO 8 W, NGT	0,38 kg
10.27.0130.07	APLIQUE EXT "BERILO" R LED INTEGRADO 8W, GRT	0,38 kg
10.27.0210.03	APL EXT "BERILO" C G9 IP54, BLT	0,57 kg
10.27.0210.06	APL EXT "BERILO" C G9 IP54, NGT	0,57 kg
10.27.0210.07	APL EXT "BERILO" C G9 IP54, GRT	0,57 kg
10.27.0230.03	APLIQUE EXT "BERILO" C LED INTEGRADO 8W, BLT	0,63 kg
10.27.0230.06	APLIQUE EXT "BERILO" C LED INTEGRADO 8W, NGT	0,63 kg
10.27.0230.07	APLIQUE EXT "BERILO" C LED INTEGRADO 8W, GRT	0,63 kg
10.28.0110.03	APLIQUE EXT "KALU" R UNI GZ10 IP65, BLT	0,43 kg
10.28.0110.06	APLIQUE EXT "KALU" R UNI GZ10 IP65, NGT	0,40 kg
10.28.0110.07	APLIQUE EXT "KALU" R UNI GZ10 IP65, GRT	0,43 kg
10.28.0210.06	APLIQUE EXT "KALU" C UNI GZ10 IP65, NGT	0,55 kg
10.28.0210.07	APLIQUE EXT "KALU" C UNI GZ10 IP65, GRT	0,55 kg
10.28.2110.06	APLIQUE EXT "KALU" R BI GZ10, NGT	0,68 kg
10.28.2110.07	APLIQUE EXT "KALU" R BI GZ10, GRT	0,68 kg
10.28.2210.06	APLIQUE EXT "KALU" C BI GZ10 IP65, NGT	0,97 kg
10.28.2210.07	APLIQUE EXT "KALU" C BI GZ10 IP65, GRT	0,97 kg
10.29.0110.05	APL EXT "IDUN" UNIDIR QT-DEI2 IP65, NG	0,90 kg
10.29.0110.11	APL EXT "IDUN" UNIDIR QT-DEI2 IP65, AL	0,90 kg
10.29.0115.05	APL EXT "IDUN" UNIDIR QT-DEI2 IP65 CON LAMPARA LED RETROFIT, NG	0,90 kg

INFORMACION DE PRODUCTO /

PESO

Codigo	Nombre	Peso
10.29.0115.11	APL EXT "IDUN" UNIDIR QT-DE12 IP65 CON LAMPARA LED RETROFIT, AL	0,90 kg
10.29.0121.05	APL EXT "IDUN" UNIDIR QT14 IP65, NG	0,90 kg
10.29.0121.11	APL EXT "IDUN" UNIDIR QT14 IP65, AL	0,90 kg
10.29.0123.05	APL EXT "IDUN" UNIDIR LED IP65, NG	0,91 kg
10.29.0123.11	APL EXT "IDUN" UNIDIR LED IP65, AL	0,91 kg
10.29.0210.05	APL EXT "IDUN" BIDIR QT-DE12 IP65, NG	0,90 kg
10.29.0210.11	APL EXT "IDUN" BIDIR QT-DE12 IP65, AL	0,90 kg
10.29.0215.05	APL EXT "IDUN" BIDIR QT-DE12 IP65 CON LAMPARA LED RETROFIT, NG	0,90 kg
10.29.0215.11	APL EXT "IDUN" BIDIR QT-DE12 IP65 CON LÁMPARA LED RETROFIT, AL	0,90 kg
10.29.0221.05	APL EXT "IDUN" BIDIR QT14 IP65, NG	0,90 kg
10.29.0221.11	APL EXT "IDUN" BIDIR QT14 IP65, AL	0,90 kg
10.29.1002.05	ACC TAPABOCA "IDUN", NG	0,14 kg
10.29.1002.11	ACC TAPABOCA "IDUN", AL	0,14 kg
10.95.9001.04	ACC "QUIDEL" CAJA ESTANCA IP65, NG	0,09 kg
11.AA37.0110.05	ACCESORIO PANAL DE ABEJA P/ CABEZAL "URO" 4,2W, NGM	0,003 kg
11.AA37.0111.09	ACCESORIO VISERA P/ CABEZAL "URO" 4,2W, GRG	0,03 kg
11.AA37.0112.04	ACCESORIO ESTACA P/ CABEZAL "URO" 4,2W, NG	0,04 kg
11.AA37.0120.05	ACCESORIO FILTRO PANAL DE ABEJA P/ CABEZAL "URO" 9,8W Y 10,8W, NGM	0,001 kg
11.AA37.0121.09	ACCESORIO VISERA P/ CABEZAL "URO" 9,8W Y 10,8W, GRG	0,07 kg
11.AA37.0122.00	ACCESORIO C/ CINTA DE FIJACION P/ CABEZAL "URO" 9,8W, 10,8W, 15,5W Y 19,4W	0,20 kg
11.AA37.0123.00	ACCESORIO BASE P/ AMURAR P/ CABEZAL "URO" 9,8W, 10,8W, 15,5W Y 19,4W	0,07 kg
11.AA37.0124.04	ACCESORIO ESTACA P/ CABEZAL "URO" 9,8W, 10,8W, 15,5W Y 19,4W, NG	0,09 kg
11.AA37.0130.05	ACCESORIO PANAL DE ABEJA P/ CABEZAL "URO" 15,5W Y 19,4W, NGM	0,002 kg
11.AA37.0131.09	ACCESORIO VISERA P/ CABEZAL "URO" 15,5W Y 19,4W, GRG	0,15 kg
12.75.0110.02	PLAFON EXT "IRO" R LED 20W, BLT	1,61 kg
12.75.0110.09	PLAFON EXT "IRO" R LED 20W, GRG	1,55 kg
12.75.0210.02	PLAFON EXT "IRO" C LED 20W, BLT	1,50 kg
12.75.0210.09	PLAFON EXT "IRO" C LED 20W, GRG	1,50 kg
12.75.1110.02	PLAFON EXT "IRO" R LED 20W C/ SENSOR, BLT	1,50 kg
12.75.1110.09	PLAFON EXT "IRO" R LED 20W C/ SENSOR, GRG	1,50 kg
12.75.1210.02	PLAFON EXT "IRO" C LED 20W C/ SENSOR, BLT	1,38 kg
12.75.1210.09	PLAFON EXT "IRO" C LED 20W C/ SENSOR, GRG	1,38 kg
13.68.0010.09	APLIQUE EXT "DYSIS" LED 2X3W, GRG	0,34 kg
13.73.0010.09	APLIQUE DE EXTERIOR "MAHE" LED 6,5W, GRG	0,64 kg
13.73.0020.09	APLIQUE DE EXTERIOR "MAHE" SOLAR LED 2,5W, GRG	1,108
13.74.0010.09	APLIQUE DE EXTERIOR "NILE" LED 9W, 3000K, GRG	0,39 kg
13.74.0020.09	BALIZA DE EXTERIOR "NILE" LED 9W, 3000K, GRG	1,16 kg
13.74.1010.09	APLIQUE DE EXTERIOR "NILE" LED 9W C/ SENSOR, GRG	0,42 kg
13.77.0010.09	APLIQUE DE EXTERIOR "WEIL" 6,5W LED 3000K L:150MM, GRG	0,73 kg
13.85.0010.09	APLIQUE DE EXTERIOR "PILO" LED 4W 3000K, GRG	0,86 kg
13.87.0010.03	APLIQUE "QE" LED 18W 3000K, BLT	1,20 kg
13.87.0010.09	APLIQUE "QE" LED 18W 3000K, GRG	1,20 kg
13.96.0010.03	APLIQUE DE EXTERIOR "ADEL" LED 5W 3000K, BLT	0,48 kg
13.96.0010.09	APLIQUE DE EXTERIOR "ADEL" LED 5W 3000K, GRG	0,48 kg
16.69.0010.07	EMP EXTERIOR "BEMUS" LED 1X3W, GRT	0,42 kg
17.AA37.0010.09	CABEZAL "URO" LED 4,2W 12,6° 3000K, GRG	0,29 kg
17.AA37.0011.09	CABEZAL "URO" LED 4,2W 24° 3000K, GRG	0,29 kg
17.AA37.0020.09	CABEZAL "URO" LED 9,8W 8° 3000K, GRG	0,78 kg
17.AA37.0021.09	CABEZAL "URO" LED 10,8W 32,6° 3000K, GRG	0,78 kg
17.AA37.0022.09	CABEZAL "URO" LED 10,8W 44,7° 3000K, GRG	0,78 kg
17.AA37.0030.09	CABEZAL "URO" LED 15,5W 10,6° 3000K, GRG	1,62 kg
17.AA37.0031.09	CABEZAL "URO" LED 19,4W 33,5° 3000K, GRG	1,65 kg

IDEA

**INFORMACION DE PRODUCTO /
PESO**

Codigo	Nombre	Peso
17.AA37.0032.09	CABEZAL "URO" LED 19,4W 43,7° 3000K, GRC	1,65 kg
18.77.0510.09	BALIZA DE EXTERIOR "WEIL" 6,5W LED 3000K L:500MM, GRC	1,12 kg
18.85.0010.09	BALIZA DE EXTERIOR "PILO" LED 6W 3000K, GRC	1,52 kg
18.AA09.0020.09	BALIZA DE EXTERIOR "GEO" LED 10W 3000K, GRC	1,80 kg
EPC 20 BI-2	TCI "EPC 20 BI-S" BAL. EL. (DISCONTINUADO)	0,19 kg
MICRO MD 700	DRIVER TCI "MICRO MD 700" 10W TRIAC DIM (127046)	0,07 kg